

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A curable composition

which comprises a mixture of the following components (A), (B) and (C):

Component (A): A polyoxyalkylene polymer containing at least one reactive silyl group at a molecular chain terminus;

Component (B): A polymer composed of acrylic acid alkyl ester monomer units and/or methacrylic acid alkyl ester monomer units containing, on the average, at least one reactive silyl group in each molecule;

Component (C): An ionic surfactant.

2. (original): The curable composition according to Claim 1

wherein the component (C) ionic surfactant is an anionic surfactant.

3. (original): The curable composition according to Claim 2

wherein the component (C) anionic surfactant is a sulfuric acid ester salt type anionic surfactant.

4. (original): The curable composition according to Claim 3

wherein the component (C) sulfuric acid ester salt type anionic surfactant is a sodium alkyl sulfate type anionic surfactant.

5. (original): The curable composition according to Claim 2

wherein the component (C) anionic surfactant is a fluorine-containing surfactant.

6. (original): The curable composition according to Claim 5

wherein the component (C) fluorine-containing surfactant is a fluorine-containing alkylsulfonic acid salt.

7. (original): The curable composition according to Claim 1

wherein the component (C) ionic surfactant is a cationic surfactant.

8. (original): The curable composition according to Claim 7

wherein the component (C) ionic surfactant is a nitrogen-containing compound.

9. (previously presented): The curable composition according to Claim 1

wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by weight of the sum of the components (A) and (B).

10. (previously presented): A sealant for buildings

which comprises the curable composition according to Claim 1.

11. (previously presented): The curable composition according to Claim 2

wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by weight of the sum of the components (A) and (B).

12. (previously presented): The curable composition according to Claim 3

wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by weight of the sum of the components (A) and (B).

13. (previously presented): The curable composition according to Claim 4

wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by weight of the sum of the components (A) and (B).

14. (previously presented): The curable composition according to Claim 5

wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by weight of the sum of the components (A) and (B).

15. (previously presented): The curable composition according to Claim 6
wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by
weight of the sum of the components (A) and (B).

16. (previously presented): The curable composition according to Claim 7
wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by
weight of the sum of the components (A) and (B).

17. (previously presented): The curable composition according to Claim 8
wherein the content of the component (C) is 0.1 to 20 parts by weight per 100 parts by
weight of the sum of the components (A) and (B).

18. (previously presented): A sealant for buildings
which comprises the curable composition according to Claim 2.

19. (previously presented): A sealant for buildings
which comprises the curable composition according to Claim 3.

20. (previously presented): A sealant for buildings
which comprises the curable composition according to Claim 4.